

COMPRESSOR DATA SHEET Rotary Compressor: Fixed Speed

MODEL DATA - FOR COMPRESSED AIR						
1	Manufacturer: Atlas Copco					
	Model Number: GA15-125 AP	Date:	12/13/2011			
2	X Air-cooled Water-cooled	Type:	Screw			
	X Oil-injected Oil-free	# of Stages:	1			
	Rated Capacity at Full Load Operating					
3*	Pressure ^{a, e}	84.0	acfm ^{a,e}			
4	Full Load Operating Pressure ^b	125	b psig			
5	Maximum Full Flow Operating Pressure ^c	132	psig c			
6	Drive MotorNominal Rating	20	hp			
7	Drive Motor Nominal Efficiency	90.2	percent			
o	ran wotot nomina rating (ii appheaoie)		пћ			
9	Fan Motor Nominal Efficiency		percent			
10*	Total Package Input Power at Zero Flow	5.1	kW ^e			
11	Total Package Input Power at Rated Capacity and Full Load Operating Pressure ^d	20.1	$kW^{\rm d}$			
12*	Specific Package Input Power at Rated Capacity and Full Load Operating Pressure	23.9	kW/100 cfm ^e			

*For models that are tested in the CAGI Performance Verification Program, these items are verified by the third party administrator.

Consult CAGI websitefor a list of participants in the third party verification program:

www.cagi.org

NOTES:

- a. Measured at the discharge terminal point of the compressor package in accordance with ISO 1217, Annex C; ACFM is actual cubic feet per minute at inlet conditions.
- ISO 1217, Annex C; ACFM is actual cubic feet per minute at inlet conditions.b. The operating pressure at which the Capacity (Item 3) and Electrical Consumption (Item 11) were measured for this data sheet.
- c. Maximum pressure attainable at full flow, usually the unload pressure setting for load/no load control or the maximum pressure attainable before capacity control begins. May require additional power.
- d. Total package input power at other than reported operating points will vary with control strategy.
- e. Tolerance is specified in ISO 1217, Annex C, as shown in table below:



Member:

Volume Flow Rate at specified conditions		Volume Flow Rate	Specific Energy Consumption	No Load / Zero Flow Power
m ³ / min	ft3 / min	%	%	
Below 0 5	Below 15	+/- 7	+/- 8	
0 5 to 1 5	15 to 50	+/- 6	+/- 7	+/- 10%
1 5 to 15	50 to 500	+/- 5	+/- 6	
Above 15	Above 500	+/- 4	+/- 5	ļ

ROT 030

This form was developed by the Compressed Air and Gas Institute for the use of its members CAGI has not independently verified the reported data