

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 18-Dec-2022 Revision Date 19-Jan-2024 Revision Number 3

1. Identification

Product identifier

Product Name Synthetic Piston Compressor Oil - ISO 100

Other means of identification

Product Code(s) OILEXPIS102Q

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Compressor oil

Restrictions on use Avoid formation of mists

Details of the supplier of the safety data sheet

Manufactured for

Airbase Industries 1000 Cass Drive Englewood, OH 45315 T: 877-283-7614

Emergency telephone number

Emergency telephone CHEMTREC: Within USA and Canada: 1-800-424-9300

Outside the USA and Canada: +1 703-741-5970

(collect calls accepted) 24/7

2. Hazard(s) identification

Classification

Reproductive toxicity Category 2

Label elements

Warning

Hazard statements

Suspected of damaging fertility or the unborn child.



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	0.1-1	-	-

Chemical Additions

The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove person to fresh air and keep comfortable for breathing.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water. Take off contaminated clothing. Get medical attention if

irritation develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person.

Self-protection of the first aider Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause gastrointestinal discomfort if consumed in large amounts. May cause temporary

eye irritation. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis

and sensitization in susceptible persons. Symptoms of overexposure are dizziness,

headache, tiredness, nausea, unconsciousness and difficulty breathing.

(M)SDS Number UL-ASL-191

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the

chemical

Containers can burst or explode when heated, due to excessive pressure build-up. Thermal

decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. See section 8 for more information. Ensure

adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, Methods for cleaning up

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After

cleaning, flush away traces with water.

For additional information see: Section 8: Exposure controls/personal protection; Section Reference to other sections

12: Ecological information; Section 13: Disposal considerations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove

contaminated clothing and shoes. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Do

not reuse empty containers. Keep away from Incompatible materials. See section 10 for

more information. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits Under conditions which may generate mists, the following exposure limits are

recommended:. Long-term exposure limit (8-hour TWA): 5 mg/m3. Short-term exposure limit

Revision Date: 19-Jan-2024

(15-minute): 10 mg/m³.

Biological occupational exposure

limits

This product, as supplied, does not contain any hazardous materials with biological limits

established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection If there is a risk of contact:. Wear safety glasses with side shields (or goggles).

Hand protection If there is a risk of contact: Wear suitable gloves. Ensure that the breakthrough time of the

glove material is not exceeded. Refer to glove supplier for information on breakthrough time

for specific gloves.

Skin and body protection If there is a risk of contact: Wear suitable protective clothing.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Avoid release to the environment.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid Color Amber

Odor Mild hydrocarbon
Odor threshold No information available

PropertyValuesRemarks • MethodpHNo data available

Melting point / freezing pointNo data availableInitial boiling point and boiling rangeNo data available

Flash point 250 - 264 °C / - 507.2 °F Cleveland Open Cup ASTM D 92

Evaporation rateNo data availableFlammabilityNo data available

Flammability Limit in Air

Upper flammability or explosiveNo data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableVapor densityNo data availableRelative density0.911-0.9141No data availableWater solubilityNo data availableSolubility(ies)No data availablePartition coefficientNo data available

Partition coefficient
No data available
Autoignition temperature
No data available
No data available
No data available

Kinematic viscosity 67.7-150.4 cSt at 40 °C ASTM D445

10.3-17.7 cSt at 100 °C

No data available

Revision Date: 19-Jan-2024

Other information

Dynamic viscosity

Explosive properties No information available. Oxidizing properties No information available. Softening point No information available **Pour Point** -45 - (-38)°C [ASTM D 97] **Fire Point** 270-280°C (COC) [ASTM D 92] Molecular weight No information available VOC content No information available No information available **Liquid Density** No information available **Bulk density**

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoidNone known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors. Carbon

monoxide, carbon dioxide and unburned hydrocarbons (smoke).

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause temporary eye irritation. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzenamine, N-phenyl-, reaction	> 5000 mg/kg(Rat)	> 2000 mg/kg (Rat)	-
products with 2,4,4-trimethylpentene			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Component Information			
Benzenamine, N-phenyl-, reaction prod	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)		
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion		
Species	Rabbit		
Exposure route	Dermal		
Effective dose	0.5 mL		
Exposure time	4 hours		
Results	Mild skin irritant		

Serious eye damage/eye irritation No information available.

Component Information			
Benzenamine, N-phenyl-, reaction produ	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)		
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion		
Species	Rabbit		
Exposure route	Eye		
Effective dose	0.1 mL		
Results	non-irritant		

Respiratory or skin sensitization No information available. Germ cell mutagenicity No information available.

Carcinogenicity The supplier declares that it can be shown that the substance(s) contain less than 3%

DMSO extract as measured by IP 346.

Contains a known or suspected reproductive toxin. Classification based on data available Reproductive toxicity

for ingredients. Suspected of damaging fertility or the unborn child.

No information available. STOT - single exposure

STOT - repeated exposure No information available.

Aspiration hazard Due to the viscosity, this product does not present an aspiration hazard.

12. Ecological information

Ecotoxicity Large or frequent spills may have hazardous effects on the environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	EC50: 51mg/L (48h, Daphnia magna)	LC50: >100mg/L (96h, Danio rerio)	-	-

Persistence and degradability No information available.

Bioaccumulation

Component Information

Component information	
Chemical name	Partition coefficient
Benzenamine, N-phenyl-, reaction products with	6.66
2,4,4-trimethylpentene	

68411-46-1

Mobility in soil No information available. Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT Not regulated TDG Not regulated IATA Not regulated IMDG Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Bis(tridecyl) adipate	16958-92-2	Present	Active
Polyisobutylene	9003-27-4	Present	Active
non hazardous ingredient	-		
1,2-Dihydro-2,2,4-trimethylquinoline, oligomers	26780-96-1	Present	Active
Dibutyl [(dipropoxyphosphinothioyl)thio]succin ate	68413-47-8	Present	Active
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	Present	Active
Trade secret	Proprietary	Present	Active
Polysulfides, di-tert-dodecyl	68425-15-0	Present	Active
Hydrogenated base oil	64742-70-7	Present	Active
Dihydro-3-(tetrapropenyl)furan-2,5-dio ne	26544-38-7	Present	Active
Hydrogenated base oil	64742-46-7	Present	Active
(Z)-N-methyl-N-(1-oxo-9-octadecenyl) glycine	110-25-8	Present	Active
1H-Benzotriazole-1-methanamine,	94270-86-7	Present	Active

N,N-bis(2-ethylhexyl)-			
2,5-bis(octyldithio)-1,3,4-thiadiazole	13539-13-4	Present	Active
Diphenylamine	122-39-4	Present	Active
2,6-Di-tert-butyl-p-cresol	128-37-0	Present	Active
Xylene	1330-20-7	Present	Active
Ethylbenzene	100-41-4	Present	Active
Benzene	71-43-2	Present	Active
Naphthalene	91-20-3	Present	Active

^{*}Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Ethylbenzene - 100-41-4	Carcinogen
Benzene - 71-43-2	Carcinogen Developmental Male Reproductive
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Hydrogenated base oil 64742-70-7	-	X	-
Diphenylamine 122-39-4	X	X	Х
2,6-Di-tert-butyl-p-cresol 128-37-0	X	X	Х
Xylene 1330-20-7	X	X	Х
Ethylbenzene	X	X	X

Revision Date: 19-Jan-2024

100-41-4			
Benzene 71-43-2	X	X	X
Naphthalene 91-20-3	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 18-Dec-2022

Revision Date 19-Jan-2024

Revision Note Customer-Specific SDS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

(M)SDS Number UL-ASL-191

Revision Date: 19-Jan-2024