

120 Gallon Two Stage - Cast Iron - Industrial

FEATURES & BENEFITS

- **Baldor Single Phase Industrial Class Electric Motor** - 4 pole, 1725 RPM, UL certified, NEMA rated
- Patented Pump Design Provides for a Cooler Running Pump !
 - Patented piston design for improved compression efficiency
 - Cast iron cylinder head with patented deep-groove directional cooling fins
 - Precision bored cylinders with patented asymmetrical cooling fins
 - Balanced flywheel with large glass-filled composite fan for improved pump cooling
- Industrial performance delivers maximum CFM @ 175 PSI; provides enough power to operate more than one air tool or device at one time
- Equipped with pre-wired and mounted magnetic starter – saves time and money!
- Large capacity, 120 gallon ASME* certified tank
- Tie down holes in the platform to secure unit when transporting
- Supported by our Toll Free Customer Help Line



MODEL SPECIFICATIONS

Tank Size:	120 Gallon ASME*
Maximum Pressure:	175 PSI
CFM @ 100 PSI:	35.0
CFM @ 175 PSI:	33.6
Voltage:	208-230 Spread Volt
Phase:	Single
Running HP:	10.0
Warranty:	2 Year Limited

- **ALSO INCLUDES**
Extended tank drain valve, ball valve, and vibration isolators are included for ease of use

See Page 2
For Additional
Pump Features



Dimensions: 51" x 49" x 84" • Weight: 1025 lbs. • UPC: 8 46212 05705 6 • Truckload Qty: 24 (53' trailer)

*ASME - American Society of Mechanical Engineers Product style and configuration may vary.

MODEL: IV9919910.183



10 HP - Cast Iron - Two Stage Industrial Pump Features

- 1) Twelve free-floating stainless steel reed valves with stop guides for controlled lift
- 2) Four rings per piston for improved volumetric efficiencies and oil control
- 3) **Patented** piston design for improved compression efficiency
- 4) Extended height high efficiency breather
- 5) Large easy view oil level sight glass eliminates guesswork
- 6) Automotive type, one-piece, counter-balanced crankshaft for smooth, trouble free operation
- 7) Oversized industrial-grade bearings for extended pump life
- 8) Splash lubrication for complete lubrication of all working parts
- 9) Automotive style connecting rods with precision inserts for long life
 - Two piece connecting rod with oil control feature provides full lubrication
- 10) Industrial grade metal intake filter/silencers with five sound attenuation baffles and automotive style replaceable filter element
- 11) Cast iron cylinder head with **patented** deep-groove directional cooling fins
- 12) Precision bored cylinders with **patented** asymmetrical cooling fins
- 13) Balanced flywheel with large glass-filled composite fan for improved pump cooling
- 14) Extra capacity oil reservoir ensures lower oil temperatures for longer life
- 15) High efficiency finned copper intercooler reduces inter-stage air temperatures for maximum performance and increased valve life
- 16) Cast iron construction for durability, dependability, and smooth operation

